	Туре	L	#	Hits	Search Text	DBs	Time Stamp	Comment s
1	BRS	L1		4	microfluid\$4 same (gradient near elu\$4)	USPA T	2004/02/0 4 15:12	
2	BRS	L2		1	microfluid\$4 same (gradient near generat\$4)	USPA T	2004/02/0 4 14:36	
3	BRS	L3		15	chip same (gradient near generat\$4)	USPA T	2004/02/0 4 14:36	,
4	BRS	L4		3	chip same (gradient near elu\$4)	USPA T	2004/02/0 4 15:15	
5	BRS	L5		1495	chip with valve	USPA T	2004/02/0 4 15:16	
6	BRS	L6	••••••	5644	gradient near elution	USPA T	2004/02/0 4 15:16	
7	BRS	L7		6	5 and 6	USPA T	2004/02/0 4 15:23	
8	BRS	L8	*************	200	microfluid\$4 with valve	USPA T	2004/02/0 4 15:23	
9	BRS	L9	***************************************	2	6 and 8	USPA T	2004/02/0 4 15:25	
10	BRS	L1	0	2720	gradient near generat\$4	USPA T	2004/02/0 4 15:26	
11	BRS	L1	1	5	5 and 10	USPA T	2004/02/0 4 15:29	
12	BRS	L1	2	6	8 and 10	USPA T		
13	BRS	L1	3	2021	210/656-659.ccls.	USPA T	2004/02/0 4 16:11	
14	BRS	L1	4	1776	210/198.2.ccls.	USPA T	2004/02/0 4 16:11	
15	BRS	L1	 5	2573	13 or 14	USPA T	2004/02/0 4 16:12	
16	BRS	L1	6	24046 7	chip	USPA T	2004/02/0 4 16:12	
17	BRS	L1	 7	6156	microchip	USPA T	2004/02/0 4 16:12	
18	BRS	L1	8	2717	microfluid\$4	USPA T	2004/02/0 4 16:12	
19	BRS	L1:	9	24533 4	16 or 17 or 18	uspa T	2004/02/0 4 16:13	
20	BRS	L2	0	119	15 and 19	USPA T	2004/02/0 4 16:13	
21	BRS	L2	1	1	6110343.pn.	USPA T	2004/02/0 4 17:00	

	Error Definition	Er rc rs
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0
14		0
15		0
16		0
17		0
18		0
19		0
20		0
21		0